

# TMF Rabbit mAb

货号: **AYM31233**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IF/ICC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	122kDa/123kDa
实测分子量	160kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	DU145,Raji,U-87MG
细胞定位	
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein corresponding to Human TMF.
序列	MKVEQERKKAIFTQETIKEKERKPFVSSTPTMSRSSSISGVDMAGLQTSFLSQDESHDSFGPMPISANGSNLYDAVRM GAGSSIIENLQSQLKREGEI

## 靶点信息

研究背景	Potential coactivator of the androgen receptor. Mediates STAT3 degradation. May play critical roles in two RAB6-dependent retrograde transport processes: one from endosomes to the Golgi and the other from the Golgi to the ER. This protein binds the HIV-1 TATA element and inhibits transcriptional activation by the TATA-binding protein (TBP).
基因ID	7110

基因名	TMF1
Swiss	P82094
别名	ARA160;TMF;TMF1

## 产品验证



Western blot analysis of TMF expressed in DU145,Raji,U-87MG using TMF Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)