

# SENP1 Rabbit mAb

货号: **AYM31263**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC FC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IHC:</b> 1:50 - 1:200 <b>IF/ICC:</b> 1:50 - 1:200 <b>FC:</b> 1:20 - 1:50
理论分子量	73kDa
实测分子量	73kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	BxPC-3,HT-29,HepG2,HeLa,Mouse testis,Mouse thymus,Rat testis
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein corresponding to Human SENP1.
序列	SRCLSSSKNTLKDSLKNGNSCASQIIGSDTSSSGSASILTNQEQLSHSVYLSSTYTPDVAFGSKDSGTLHHPHHHSVPH QPDNLAASNTQSEGSDSVILLKVKDSQTPPTSSTFFQAELWIKELTSVYDSRERLRQIEEQKALALQLQNQLQEREHS VHDSVELHLRVPLEKEIPVTVVQETQKKGHKLTDESEF

## 靶点信息

研究背景	This gene encodes a cysteine protease that specifically targets members of the small ubiquitin-like modifier (SUMO) protein family. This protease regulates SUMO pathways by deconjugating sumoylated proteins. This protease also functions to process the precursor SUMO proteins into their mature form. Alternate splicing results in multiple transcript variants.
------	---

基因ID	29843
基因名	SENP1
Swiss	Q9P0U3
别名	SENP1;SuPr-2

## 产品验证



Western blot analysis of SENP1 expressed in BxPC-3, HT-29, HepG2 using SENP1 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)