

# SNRPA1 Rabbit mAb

货号: **AYM31269**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IHC:</b> 1:50 - 1:200
理论分子量	28kDa
实测分子量	28kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HT-29,Jurkat,Raji,HeLa,NIH/3T3,Mouse kidney,Mouse liver,Mouse lung
细胞定位	Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein corresponding to Human SNRPA1.
序列	MVKLTAELIEQAAQYTNVAVRDRELDLRGYKIPVIENLGATLDQFDAIDFSDNEIRKLDGFLLRRLKTLVNNNRICRIGEGLD QALPCLTELILTNNLSLVELGDLDPASLKSILTYLSILRNVPVTKKHRYLYVIYKVPQVRVLDQKVKLKERQEAEMFKGKRG AQLAKDIARRSKTFNPGAGLPTDKKGGPSPGDVEAIKNAIANASTLAEVERL

## 靶点信息

研究背景	Involved in pre-mRNA splicing as component of the spliceosome. Associated with sn-RNP U2, where it contributes to the binding of stem loop IV of U2 snRNA.
基因ID	6627

基因名	SNRPA1
Swiss	P09661
别名	SNRPA1;Lea1

## 产品验证



Western blot analysis of SNRPA1 expressed in Mouse kidney,HT-29,Jurkat using SNRPA1 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)