

# POLE3 Rabbit pAb

货号: **AYP10298**

## 产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	<b>IF:</b> Homo sapiens <b>WB:</b> Mus musculus
应用	<a href="#">WB</a>
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	16kDa
实测分子量	20-25kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HepG2,Mouse testis,Mouse bone marrow,Mouse spleen,293T
细胞定位	Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-147 of human POLE3 (NP_059139.3).
序列	MAERPEDLNLNAVITRIIKEALPDGVNISKEARSASISRAASVFLYATSCANNFAMKGRKRTLNASDVLSSAMEEMEFQRFV TPLKEALEAYRREQKGGKKEASEQKKKDKDKKTDSEEQDKSRDEDNDEDEERLEEEEEEQNEEEVEVDN

## 靶点信息

研究背景	POLE3 is a histone-fold protein that interacts with other histone-fold proteins to bind DNA in a sequence-independent manner. These histone-fold protein dimers combine within larger enzymatic complexes for DNA transcription, replication, and packaging.[supplied by OMIM, Apr 2004]
基因ID	54107

基因名	POLE3
Swiss	Q9NRF9
别名	POLE3;CHARAC17;CHRAC17;YBL1;p17

## 产品验证



Western blot analysis of POLE3 expressed in Mouse testis,HepG2,Mouse bone marrow using POLE3 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)