

— ABLYBIO, Help Your Research



NDUFV2 Rabbit pAb

货号: **AYP10389**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Homo sapiens
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	27kDa
实测分子量	27kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	MCF7,HT-29,PC-12,Mouse liver,Mouse brain,Rat liver,HL-60,NCI-H460,SKOV3,A-549,Mouse kidney,Mouse heart,Mouse testis,Rat kidney
细胞定位	Mitochondrion inner membrane
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-249 of human NDUFV2 (NP_066552.2).
------	--

靶点信息

研究背景	The NADH-ubiquinone oxidoreductase complex (complex I) of the mitochondrial respiratory chain catalyzes the transfer of electrons from NADH to ubiquinone, and consists of at least 43 subunits. The complex is located in the inner mitochondrial membrane. This gene encodes the 24 kDa subunit of complex I, and is involved in electron transfer. Mutations in this gene are implicated in Parkinson's disease, bipolar disorder, schizophrenia, and have been found in one case of early onset hypertrophic cardiomyopathy and encephalopathy. A non-transcribed pseudogene of this locus is found on chromosome 19.
基因ID	4729
基因名	NDUFV2
Swiss	P19404 (https://www.uniprot.org/uniprotkb/P19404/entry)
别名	NDUFV2,CI-24k,NDUFV2 Rabbit pAb,NADH-ubiquinone oxidoreductase 24 kDa subunit

产品验证



Western blot analysis of NDUFV2 expressed in Mouse liver, Rat liver, MCF7 using NDUFV2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)