

PIDD Rabbit pAb

货号: **AYP10409**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:1000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:100
理论分子量	33kDa/37kDa/58kDa/66kDa/82kDa/97kDa/99kDa
实测分子量	100-110kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,293T,K-562,Mouse brain,Mouse liver,Mouse heart,Rat brain
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-85 of human PIDD (NP_665893.2).
序列	MAATVEGPELEAAAAAGDASESDAGSRALPFLGGNRLSLDLYPGGCQQLLHLCVQQLQLLQVEFLRLSTHEDPQLLEA TLAQL

靶点信息

研究背景	The protein encoded by this gene contains a leucine-rich repeat and a death domain. This protein has been shown to interact with other death domain proteins, such as Fas (TNFRSF6)-associated via death domain (FADD) and MAP-kinase activating death domain-containing protein (MADD), and thus may function as an adaptor protein in cell death-related signaling processes. The expression of the mouse counterpart of this gene has been found to be positively regulated by the tumor suppressor p53 and to induce cell apoptosis in response to DNA damage, which suggests a role for this gene as an effector of p53-dependent apoptosis. Alternative splicing results in multiple transcript variants.
基因ID	55367
基因名	PIDD1
Swiss	Q9HB75
别名	PIDD1;LRDD;PIDD

产品验证



Western blot analysis of PIDD expressed in Mouse brain,Rat brain,U-87MG using PIDD Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn