

— ABLYBIO, Help Your Research



# OTUD4 Rabbit pAb

货号: **AYP10724**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	<b>WB:</b> Mus musculus,Homo sapiens
应用	WB IF/ICC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	17kDa/116kDa/117kDa/124kDa
实测分子量	170kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,Raji
细胞定位	cytosol,nucleus
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 200-500 of human OTU D4 (NP_001096123.1).
------	---

## 靶点信息

研究背景	Alternatively spliced transcript variants have been found for this gene. The smaller protein isoform encoded by the shorter transcript variant is found only in HIV-1 infected cells.
基因ID	54726
基因名	OTUD4
Swiss	Q01804 ( <a href="https://www.uniprot.org/uniprotkb/Q01804/entry">https://www.uniprot.org/uniprotkb/Q01804/entry</a> )
别名	OTUD4,DUBA6,HIN1,HSHIN1,OTUD4 Rabbit pAb,HIV-1-induced protein HIN-1,HIN-1

## 产品验证



Western blot analysis of OTUD4 expressed in HeLa,Raji using OTUD4 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/>[www.ablybio.cn](http://www.ablybio.cn))