

BPIFB2 Rabbit pAb

货号: **AYP10815**

产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	49kDa
实测分子量	49kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain,Rat brain
细胞定位	Secreted
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 40-340 of human BPIFB 2 (NP_079503.1).
序列	IGKAPLQRALQVTVPHFLDWSGEALQPTRIRILNVHVPRLHLKFIAGFGVRLAAANFTFKVFRAPPELELTPVELLADTRVT QSSIRTPVVISACSLFSGHANEFDGSNSTSHALLVLVQKHIAVLSNKLCLSLISNLVQGVNVHLGTLIGLNPVGPESQIRYS MVSVPVTSYISLEVNAVLFLLGKPIILPTDTPFVLPRHVGTGEGSMATVGLSQQLFDSALLLQKAGALNLDITGQLRSD DNLNLSALGRLIPEVARQFPEPMPVVLKVRLGATPVAMLHTNNTLRLQPF

靶点信息

研究背景	This gene encodes a member of the lipid transfer/lipopolysaccharide binding protein (LT/LBP) gene family . It is highly expressed in hypertrophic tonsils. This gene and three other members of the LT/LBP gene family form a cluster on the long arm of chromosome 20.
基因ID	80341

基因名	BPIFB2
Swiss	Q8N4F0
别名	BPIFB2;BPIL1;C20orf184;LPLUNC2;RYSR;dj726C3.2

产品验证



Western blot analysis of BPIFB2 expressed in Mouse brain,Rat brain using BPIFB2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn