

ACAD11 Rabbit pAb

货号: **AYP10818**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	73kDa/75kDa/87kDa
实测分子量	87kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HepG2,293T,Raji
细胞定位	Mitochondrion,Peroxisome
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-230 of human ACAD11 (NP_115545.3).
序列	MKPGATGESDLAEVLPQHKFDSKSLEAYLNQHLSGFGAEREATLTIAQYRAGKSNPTFYLQKGFQTYVLRKKPPGSLLPKA HQIDREFKVQKALFSIGFVPPKPILYCSDTSVIGTEFYVMEHVQGRIFRDLTIPGLSPAERSAIYVATVETLAQLHSLNIQSLQL EGYGIGAGYCKRQVSTWTKQYQAAAHQDIPAMQQLSEWLMKNLPDNDNEENLIHGDFRLDNIVF

靶点信息

研究背景	This gene encodes an acyl-CoA dehydrogenase enzyme with a preference for carbon chain lengths between 20 and 26. Naturally occurring read-through transcription occurs between the upstream gene NPHP3 (nephronophthisis 3 (adolescent)) and this gene.
基因ID	84129

基因名	ACAD11
Swiss	Q709F0
别名	ACAD11;ACAD-11

产品验证



Western blot analysis of ACAD11 expressed in HepG2,293T,Raji using ACAD11 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn