

— ABLYBIO, Help Your Research



KCNK15 Rabbit pAb

货号: **AYP10827**

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	36kDa
实测分子量	36kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	BxPC-3,A-549
细胞定位	Membrane,Multi-pass membrane protein
纯化	Affinity purification


抗原信息

抗原信息	A synthetic peptide corresponding to a sequence within amino acids 200-300 of human KCNK15 (NP_071753.2).
------	---

靶点信息

研究背景	This gene encodes one of the members of the superfamily of potassium channel proteins containing two pore-forming P domains. The product of this gene has not been shown to be a functional channel, however, it may require other non-pore-forming proteins for activity.
基因ID	60598
基因名	KCNK15
Swiss	Q9H427 (https://www.uniprot.org/uniprotkb/Q9H427/entry)
别名	KCNK15,K2p15.1,KCNK11,KCNK14,KT3.3,TASK-5,TASK5,dj781B1.1,KCNK15 Rabbit pAb,Acid-sensitive potassium channel protein TASK-5,TWIK-related acid-sensitive K(+) channel 5,Two pore potassium channel KT3.3

产品验证



Western blot analysis of KCNK15 expressed in BxPC-3,A-549 using KCNK15 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)