

KCNK15 Rabbit pAb

货号: **AYP10827**

产品信息

| | |
|-------|--|
| 反应 | Human |
| 宿主 | Rabbit |
| 克隆性 | Polyclonal |
| 预测反应 | |
| 应用 | WB |
| 推荐浓度 | WB: 1:500 - 1:2000 |
| 理论分子量 | 36kDa |
| 实测分子量 | 36kDa |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | BxPC-3, A-549 |
| 细胞定位 | Membrane, Multi-pass membrane protein |
| 纯化 | Affinity purification |

抗原信息


| | |
|------|---|
| 抗原信息 | A synthetic peptide corresponding to a sequence within amino acids 200-300 of human KCNK15 (NP_071753.2). |
| 序列 | IGFGDFVALQSGEALQRKLPYVAFSFLYILLGLTVIGAFNLVVLRFVLVASADWPERAARTPSRPPGAPESRGLWLPRRPARSVGSASVFCHVHKLERCA |

靶点信息

| | |
|------|--|
| 研究背景 | This gene encodes one of the members of the superfamily of potassium channel proteins containing two pore-forming P domains. The product of this gene has not been shown to be a functional channel, however, it may require other non-pore-forming proteins for activity. |
| 基因ID | 60598 |

| | |
|-------|---|
| 基因名 | KCNK15 |
| Swiss | Q9H427 |
| 别名 | KCNK15;K2p15.1;KCNK11;KCNK14;KT3.3;TASK-5;TASK5;dj781B1.1 |

产品验证



Western blot analysis of KCNK15 expressed in BxPC-3, A-549 using KCNK15 Rabbit pAb at 1:1000. Second ary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer : 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn