

# HN1 Rabbit pAb

货号: **AYP10832**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IHC:</b> 1:50 - 1:200
理论分子量	11kDa/16kDa/19kDa
实测分子量	16kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HT-29
细胞定位	Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-154 of human HN1 (NP_057269.1).
序列	MTTTTTFKGVDPNSRNSSRVLRPPGGGSNFSLGFDEPTEQPVRKNKMASNIFGTPEENQASWAKSAGAKSSGGREDLES SGLQRRNSSEASSGDFDLKGEEDIHENVDTDLPGSLGQSEKPVPAAPVPSVPAPVPSRRNPPGGKSSLVLG

## 靶点信息

研究背景	Modulates negatively AKT-mediated GSK3B signaling. Induces CTNNB1 'Ser-33' phosphorylation and degradation through the suppression of the inhibitory 'Ser-9' phosphorylation of GSK3B, which represses the function of the APC:CTNNB1:GSK3B complex and the interaction with CDH1/E-cadherin in adherent junctions. Plays a role in the regulation of cell cycle and cell adhesion. Has an inhibitory role on AR-signaling pathway through the induction of receptor proteosomal degradation.
------	---

基因ID	51155
基因名	JPT1
Swiss	Q9UK76
别名	JPT1;ARM2;HN1;HN1A

## 产品验证



Western blot analysis of HN1 expressed in HT-29 using HN1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)