

DNTTIP2 Rabbit pAb

货号: **AYP10838**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	84kDa
实测分子量	105kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse pancreas
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-300 of human DNTTIP 2 (NP_055412.2).
序列	MVVTRSARAKASIQAASAESSGQKSFAANGIQAHPESSSTGSDARTTAESQTTGKQSLIPRTPKARKRKSRTTGSLPKGTEP STDGETSEAESNYVSEHHDITLRVTRRRQILACSPVSSVRKKPKVTPTKESYTEEIVSEAESHVSGISRIVLPTEKTTGARRS KAKSLTDPSEQSHTEAISDAETSSDISFGIATRTRRSMQRKLKAQTEKKDSKIVPGNEKQIVGTPVNSESDTRQTSHL QARSLSEINKPNFYNNDFDDDFSHRSSENILTVHEQANVESLKETKQNCKDLD

靶点信息

研究背景	This gene is thought to be involved in chromatin remodeling and gene transcription. The encoded nuclear protein binds to and enhances the transcriptional activity of the estrogen receptor alpha, and also interacts with terminal deoxynucleotidyltransferase. The expression profile of this gene is a potential biomarker for chronic obstructive pulmonary disease.
------	--

基因ID	30836
基因名	DNTTIP2
Swiss	Q5QJE6
别名	DNTTIP2;ERBP;FCF2;HSU15552;LPTS-RP2;TdIF2

产品验证



Western blot analysis of DNTTIP2 expressed in Mouse pancreas using DNTTIP2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn