

UNC50 Rabbit pAb

货号: **AYP10841**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	30kDa
实测分子量	30kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-549,MCF7,Mouse kidney,Rat kidney
细胞定位	Golgi apparatus membrane,Multi-pass membrane protein,Nucleus inner membrane
纯化	Affinity purification

抗原信息


抗原信息	A synthetic peptide corresponding to a sequence within amino acids 1-100 of human UNC50 (NP_054763.2).
序列	MLPSTSVNSLVQGNGLNSRDAARHTAGAKRYKYLRLRFRFRQMDFEFAAWQMLYLFTSPQRVYRNFHYRKQTKDQWARDDPAFLVLLSIWLCVSTIGFG

靶点信息

研究背景	Involved in the cell surface expression of neuronal nicotinic receptors (By similarity. Binds RNA (By similarity).
基因ID	25972
基因名	UNC50

Swiss	Q53HI1
别名	UNC50;GMH1;HSD23;PDLs22;UNCL;URP

产品验证



Western blot analysis of UNC50 expressed in Mouse kidney,Rat kidney,A-549 using UNC50 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn