

# Phospho-YAP1-S127 Rabbit pAb

货号: **AYP11138**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	<b>WB:</b> THP1 , Homo sapiens , Mus musculus , Rattus norvegicus , Xenopus laevis <b>IP:</b> Homo sapiens <b>IF:</b> Danio rerio , Homo sapiens
应用	<a href="#">WB</a> <a href="#">IHC</a> <a href="#">IF/ICC</a>
推荐浓度	<b>WB:</b> 1:100 - 1:500 <b>IHC:</b> 1:50 - 1:200 <b>IF/ICC:</b> 1:50 - 1:100
理论分子量	36kDa/48kDa/49kDa/50kDa/52kDa/53kDa/54kDa
实测分子量	75KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	NIH/3T3
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	A synthetic phosphorylated peptide around S127 of human YAP1 (NP_001123617.1).
序列	AHSSP

## 靶点信息

研究背景	This gene encodes a downstream nuclear effector of the Hippo signaling pathway which is involved in development, growth, repair, and homeostasis. This gene is known to play a role in the development and progression of multiple cancers as a transcriptional regulator of this signaling pathway and may function as a potential target for cancer treatment. Alternative splicing results in multiple transcript variants encoding different isoforms.
------	--

基因ID	10413
基因名	YAP1
Swiss	P46937
别名	COB1;YAP;YAP2;YAP65;YKI;YAP1

## 产品验证



Western blot analysis of Phospho-YAP1-S127 expressed in NIH/3T3 using Phospho-YAP1-S127 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)