

FOXM1 Rabbit pAb

货号: **AYP11353**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: A549 , Homo sapiens , Mus musculus IHC: Homo sapiens,Mus musculus
应用	WB ChIP
推荐浓度	WB: 1:500 - 1:1000 ChIP: 1:20 - 1:200
理论分子量	82kDa/84kDa/88kDa
实测分子量	110KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,HT-29
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 29-128 of human FOXM1 (NP_068772.2).
序列	EEEEPKRSPAQQESNQAEASKEVAESNSCKFPAGIKIINHPTMPNTQVVAIPNNANIHSIITALTAGKESGSSGPNKFILISCG GAPTQPPGLRPQTQTS

靶点信息

研究背景	The protein encoded by this gene is a transcriptional activator involved in cell proliferation. The encoded protein is phosphorylated in M phase and regulates the expression of several cell cycle genes, such as cyclin B1 and cyclin D1. Several transcript variants encoding different isoforms have been found for this gene.
------	--

基因ID	2305
基因名	FOXM1
Swiss	Q08050
别名	FKHL16;FOXM1B;HFH-11;HFH11;HNF-3;INS-1;MPHOSPH2;MPP-2;MPP2;PIG29;TRIDENT;FOXM1

产品验证



Western blot analysis of FOXM1 expressed in HeLa, HT-29 using FOXM1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5 % non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn