

SOST Rabbit pAb

货号: **AYP11534**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Homo sapiens , Rattus norvegicus , Mus musculus IHC: Homo sapiens
应用	WB
推荐浓度	WB: 1:100 - 1:500
理论分子量	24kDa
实测分子量	24KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa
细胞定位	Secreted,extracellular matrix,extracellular space
纯化	Affinity purification

抗原信息


抗原信息	A synthetic peptide corresponding to a sequence within amino acids 114-213 of human SOST (NP_079513.1).
序列	LLPNAIGRGKWWRPSPDFRCIPDRYRAQRVQLLCPGGAPRARKVRLVASCKCKRLTRFHNSQLKDFGTEAARPQKG RKPRPRARSAKANQAELENAY

靶点信息

研究背景	Sclerostin is a secreted glycoprotein with a C-terminal cysteine knot-like (CTCK) domain and sequence similarity to the DAN (differential screening-selected gene aberrative in neuroblastoma) family of bone morphogenetic protein (BMP) antagonists. Loss-of-function mutations in this gene are associated with an autosomal-recessive disorder, sclerosteosis, which causes progressive bone overgrowth. A deletion downstream of this gene, which causes reduced sclerostin expression, is associated with a milder form of the disorder called van Buchem disease.
------	--

基因ID	50964
基因名	SOST
Swiss	Q9BQB4
别名	SOST;CDD;DAND6;SOST1;VBCH

产品验证



Western blot analysis of SOST expressed in HeLa using SOST Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn