

— ABLYBIO, Help Your Research



ATF3 Rabbit pAb

货号: **AYP11582**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus , Homo sapiens FC: Homo sapiens IF: Mus musculus IHC: Homo sapiens
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:1000 IHC: 1:100 - 1:500 IF/ICC: 1:50 - 1:200
理论分子量	12kDa/13kDa/14kDa/15kDa/20kDa
实测分子量	23KDa/24KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,RAW264.7
细胞定位	Nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-181 of human ATF3 (N P_001665.1).
------	---

靶点信息

研究背景	This gene encodes a member of the mammalian activation transcription factor/cAMP responsive element-binding (CREB) protein family of transcription factors. This gene is induced by a variety of signals, including many of those encountered by cancer cells, and is involved in the complex process of cellular stress response. Multiple transcript variants encoding different isoforms have been found for this gene. It is possible that alternative splicing of this gene may be physiologically important in the regulation of target genes.
基因ID	467
基因名	ATF3
Swiss	P18847 (https://www.uniprot.org/uniprotkb/P18847/entry)
别名	ATF3,ATF3 Rabbit pAb,Activating transcription factor 3

产品验证



Western blot analysis of ATF3 expressed in 293T,RAW264.7 using ATF3 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)