

# KDM3A Rabbit pAb

货号: **AYP11828**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	<b>WB:</b> HeLa,MCF7 , Mus musculus , Homo sapiens , Lithobates sylvaticus
应用	<a href="#">WB</a>
推荐浓度	<b>WB:</b> 1:500 - 1:1000
理论分子量	147kDa
实测分子量	147KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,Mouse testis
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-270 of human KDM3A (NP_060903.2).
序列	MVLTLGESWPVLVGRRFLSLSAADGSDGSHDSWDVERVAEWPWLSGTIRAVSHTDVTKKDLKVCVEFDGESWRKRRW IEVYSLRRRAFLVEHNLVLAERKSPEISERIVQWPAITYKPLLDKAGLGSITSVRFLGDQQRVFLSKDLLKPIQDVNSLRSLT DNQIVSKEFQALIVKHLDESHLLKGDKNLVGSEVKIYSLDPSTQWFSATVINGNPASKTLQVNCEEIPALKIVDPSLIHVEVV HDNLVTCGNSARIGAVKRKSENNGT

## 靶点信息

研究背景	This gene encodes a zinc finger protein that contains a jumonji domain and may play a role in hormone-dependent transcriptional activation. Alternative splicing results in multiple transcript variants.
基因ID	55818

基因名	KDM3A
Swiss	Q9Y4C1
别名	KDM3A;JHDM2A;JHMD2A;JMJD1;JMJD1A;TSGA

## 产品验证



Western blot analysis of KDM3A expressed in 293T, Mouse testis using KDM3A Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)