

— ABLYBIO, Help Your Research



TOLLIP Rabbit pAb

货号: **AYP11960**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Rattus norvegicus IHC: Rattus norvegicus IF: Rattus norvegicus
应用	WB IHC IF/ICC
推荐浓度	WB: 1:100 - 1:500 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	22kDa/30kDa
实测分子量	30KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SW620,HeLa,293T,Mouse testis,Mouse brain,Mouse thymus,Rat testis,Rat liver
细胞定位	Cytoplasm
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-274 of human TOLLIP (NP_061882.2).
------	--

靶点信息

研究背景	This gene encodes a ubiquitin-binding protein that interacts with several Toll-like receptor (TLR) signaling cascade components. The encoded protein regulates inflammatory signaling and is involved in interleukin-1 receptor trafficking and in the turnover of IL1R-associated kinase. Several transcript variants encoding different isoforms have been found for this gene.
基因ID	54472
基因名	TOLLIP
Swiss	Q9H0E2 (https://www.uniprot.org/uniprotkb/Q9H0E2/entry)
别名	TOLLIP,IL-1RAcPIP,TOLLIP Rabbit pAb

产品验证



Western blot analysis of TOLLIP expressed in Mouse testis,Rat testis,SW620 using TOLLIP Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)