

— ABLYBIO, Help Your Research



MYRF Rabbit pAb

货号: **AYP11962**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus IHC: Mus musculus
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	120kDa/124kDa
实测分子量	124kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,HepG2
细胞定位	Cytoplasm,Endoplasmic reticulum membrane,Nucleus,Single-pass membrane protein
纯化	Affinity purification


抗原信息

抗原信息	A synthetic peptide corresponding to a sequence within amino acids 1-100 of human MYRF (NP_0011208 64.1).
------	---

靶点信息

研究背景	This gene encodes a transcription factor that is required for central nervous system myelination and may regulate oligodendrocyte differentiation. It is thought to act by increasing the expression of genes that effect myelin production but may also directly promote myelin gene expression. Loss of a similar gene in mouse models results in severe demyelination. Alternative splicing results in multiple transcript variants.
基因ID	745
基因名	MYRF
Swiss	Q9Y2G1 (https://www.uniprot.org/uniprotkb/Q9Y2G1/entry)
别名	MYRF,C11orf9,MRF,Ndt80,pqn-47,MYRF Rabbit pAb,Myelin gene regulatory factor,KIAA0954

产品验证



Western blot analysis of MYRF expressed in HeLa,HepG2 using MYRF Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)