

# IDO1 Rabbit pAb

货号: **AYP11989**

## 产品信息

反应	Human,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	<b>WB:</b> Mus musculus , Chlamydia trachomatis
应用	<a href="#">WB</a> <a href="#">IF/ICC</a>
推荐浓度	<b>WB:</b> 1:100 - 1:500 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	45kDa
实测分子量	40KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SKOV3,A-549
细胞定位	Cytoplasm,cytosol
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-403 of human IDO1 (N P_002155.1).
序列	MAHAMENSWTISKEYHIDEEVGFALPNPQENLPDFYNDWFMIAKHLPLDIESGQLRERVEKLNMLSIDHLTDHKSQRLARL VLGCITMAYVWGKGGDVRKVLPRNIAVPYCQLSKKLELPPILVYADCVLANWKKKDPNKPLTYENMDVLFSTRDGDGCSK GFFLVLLVEIAAASAIKVIPTVFKAMQMQRDTLLKALLEIASCLEKALQVFHQIHDHVNPKAFFSVLRIYLSGWKGNPQLS DGLVYEGFWEDPKFEFAGGSAGQSSVFQCFDVLLGIQQTAGGGHAAQFLQDMRRYMPPAHRNFLCSLESNPSVREFVLS KGDAGLREAYDACVKALVSLRSYHLQIVTKYILIPASQQPKENKTSSEDPKLEAKGTGGTDLMNFLKTVRSTTEKSLLKEG

## 靶点信息

研究背景	This gene encodes indoleamine 2,3-dioxygenase (IDO) - a heme enzyme that catalyzes the first and rate-limiting step in tryptophan catabolism to N-formyl-kynurenine. This enzyme acts on multiple tryptophan substrates including D-tryptophan, L-tryptophan, 5-hydroxy-tryptophan, tryptamine, and serotonin. This enzyme is thought to play a role in a variety of pathophysiological processes such as antimicrobial and antitumor defense, neuropathology, immunoregulation, and antioxidant activity. Through its expression in dendritic cells, monocytes, and macrophages this enzyme modulates T-cell behavior by its pericellular catabolization of the essential amino acid tryptophan.
基因ID	3620
基因名	IDO1
Swiss	P14902
别名	IDO1;IDO;IDO-1;INDO;indoleamine 2

## 产品验证



Western blot analysis of IDO1 expressed in SKOV3, A-549 using IDO1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)