

— ABLYBIO, Help Your Research



# TSSK4 Rabbit pAb

货号: **AYP12230**

## 产品信息

反应	Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	<b>Co-IP:</b> Mus musculus <b>WB:</b> Mus musculus
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	29kDa/37kDa/38kDa
实测分子量	37kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	Mouse testis
细胞定位	sperm flagellum
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 79-328 of human TSSK4 (NP_777604.2).
------	--

## 靶点信息

研究背景	This gene encodes a member of the testis-specific serine/threonine kinase family. The encoded protein is thought to be involved in spermatogenesis via stimulation of the CREB/CRE responsive pathway through phosphorylation of the cAMP responsive element binding protein transcription factor. Alternative splicing results in multiple transcript variants.
基因ID	283629
基因名	TSSK4
Swiss	Q6SA08 ( <a href="https://www.uniprot.org/uniprotkb/Q6SA08/entry">https://www.uniprot.org/uniprotkb/Q6SA08/entry</a> )
别名	TSSK4,C14orf20,STK22E,TSK-4,TSK4,TSSK5,TSSK4 Rabbit pAb,Serine/threonine-protein kinase 22E

## 产品验证



Western blot analysis of TSSK4 expressed in Mouse testis using TSSK4 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)