

— ABLYBIO, Help Your Research



ARID3A Rabbit pAb

货号: **AYP12300**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Sus scrofa , Homo sapiens IHC: Sus scrofa IP: Sus scrofa ChIP: Sus scrofa
应用	WB IHC IP
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IP: 1:20 - 1:50
理论分子量	62kDa
实测分子量	95kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Jurkat,MCF7,Mouse testis
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 324-593 of human ARID 3A (NP_005215.1).
------	---

靶点信息

研究背景	This gene encodes a member of the ARID (AT-rich interaction domain) family of DNA binding proteins. It was found by homology to the Drosophila dead ringer gene, which is important for normal embryogenesis. Other ARID family members have roles in embryonic patterning, cell lineage gene regulation, cell cycle control, transcriptional regulation, and possibly in chromatin structure modification.
基因ID	1820
基因名	ARID3A
Swiss	Q99856 (https://www.uniprot.org/uniprotkb/Q99856/entry)
别名	ARID3A,BRIGHT,DRIL1,DRIL3,E2FBP1,ARID3A Rabbit pAb,B-cell regulator of IgH transcription,Dead ringer-like protein 1,E2F-binding protein 1,DRX

产品验证



Western blot analysis of ARID3A expressed in Jurkat, MCF7, Mouse testis using ARID3A Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)