

p53 Rabbit pAb

货号: **AYP12362**

产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Homo sapiens,Mus musculus , Rattus norvegicus
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	43kDa
实测分子量	55kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse kidney,Mouse liver,Rat Liver,Rat kidney
细胞定位	Cytoplasm,Endoplasmic reticulum,Mitochondrion matrix,Nucleus,PML body
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 95-390 of mouse p53 (N P_035770.2).
序列	PSQKTYQGNYGFHLGFLQSGTAKSVMCTYSPLNLKFCQLAKTCPVQLWVSATPPAGSRVRAMAIYKKSQHMTEVVRRC PHHERCSDGDGLAPPQHLIRVEGNLYPEYLEDQRQTRHSVVVPYEPPEAGSEYTTIHYKYMCSNSSCMGGMNRRPILTIITLE DSSGNLLGRDSFEVRVCACPRDRRTEENFRKKEVLCPELPPGSAKRALPTCTSASPPQKKKPLDGEYFTLKIRGRKRFE MFRELNEALELKDAHATEESGDSRAHSSYLKTKKGQSTSRHKKT MVKKVGPDS

靶点信息

研究背景	This gene encodes a tumor suppressor protein containing transcriptional activation, DNA binding, and oligomerization domains. The encoded protein responds to diverse cellular stresses to regulate expression of target genes, thereby inducing cell cycle arrest, apoptosis, senescence, DNA repair, or changes in metabolism. Mutations in this gene are associated with a variety of human cancers, including hereditary cancers such as Li-Fraumeni syndrome. Alternative splicing of this gene and the use of alternate promoters result in multiple transcript variants and isoforms. Additional isoforms have also been shown to result from the use of alternate translation initiation codons from identical transcript variants (PMIDs: 12032546, 20937277).
基因ID	22059
基因名	
Swiss	P02340
别名	TP53;BCC7;LFS1;P53;TRP53;Trp53;bbl;bfi;bhy;p44;p53;Tp53

产品验证



Western blot analysis of p53 expressed in Mouse kidney,Rat Liver,Mouse liver using p53 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn