

— ABLYBIO, Help Your Research



TOPBP1 Rabbit pAb

货号: **AYP12363**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Azumapecten farreri , Homo sapiens IHC: Homo sapiens
应用	WB IHC
推荐浓度	WB: 1:100 - 1:500 IHC: 1:50 - 1:200
理论分子量	170kDa
实测分子量	200KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HCT116
细胞定位	Chromosome,Cytoplasm,Nucleus,centrosome,cytoskeleton,microtubule organizing center,spindle pole
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1253-1522 of human TO PBP1 (NP_008958.2).
------	---

靶点信息

研究背景	This gene encodes a binding protein which interacts with the C-terminal region of topoisomerase II beta. This interaction suggests a supportive role for this protein in the catalytic reactions of topoisomerase II beta through transient breakages of DNA strands.
基因ID	11073
基因名	TOPBP1
Swiss	Q92547 (https://www.uniprot.org/uniprotkb/Q92547/entry)
别名	TOPBP1, TOP2BP1, TOPBP1 Rabbit pAb, DNA topoisomerase II-beta-binding protein 1, DNA topoisomerase II-binding protein 1, KIAA0259

产品验证



Western blot analysis of TOPBP1 expressed in HCT116 using TOPBP1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)