

# CCT6A Rabbit pAb

货号: **AYP12411**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	<b>WB:</b> Rattus norvegicus <b>IHC:</b> Homo sapiens
应用	<a href="#">WB</a>
推荐浓度	<b>WB:</b> 1:500 - 1:1000
理论分子量	53kDa/58kDa
实测分子量	58KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain
细胞定位	Cytoplasm
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 80-250 of human CCT6A (NP_001753.1).
序列	VATAQDDITGDGTTSNVLIIGELLKQADLYISEGLHPRIITEGFEEAKEKALQFLEEVKVSREMDRETLIDVARTSLRTKVHAE LADVLTEAVVDSILAIAKKQDEPIDLFMIEIMEMKHKSETDTSLRGLVLDHGARHPDMKKRVEDAYILTCNVSLEYEKTEVNS GFFY

## 靶点信息

研究背景	The protein encoded by this gene is a molecular chaperone that is a member of the chaperonin containing TCP1 complex (CCT), also known as the TCP1 ring complex (TRiC). This complex consists of two identical stacked rings, each containing eight different proteins. Unfolded polypeptides enter the central cavity of the complex and are folded in an ATP-dependent manner. The complex folds various proteins, including actin and tubulin. Alternate transcriptional splice variants of this gene, encoding different isoforms, have been characterized. In addition, several pseudogenes of this gene have been located.
基因ID	908
基因名	CCT6A
Swiss	P40227
别名	CCT6A;CCT-zeta;CCT-zeta-1;CCT6;Cctz;HTR3;MoDP-2;TCP-1-zeta;TCP20;TCPZ;TTCP20

## 产品验证



Western blot analysis of CCT6A expressed in Mouse brain using CCT6A Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)