

FAH Rabbit pAb

货号: **AYP12569**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	IF: Mus musculus IHC, WB: Sus scrofa
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	38kDa/46kDa
实测分子量	46kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse liver,Mouse kidney,Rat liver,Rat kidney
细胞定位	cytosol,extracellular exosome
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-419 of human FAH (N P_000128.1).
序列	MSFIPVAEDSDFPIHNLPGVFSTRGDPRPRIGVAIGDQILDLSIIKHLFTGPVLSKHQDVFNQPTLNSFMGLGQAAWKEAR VFLQNLISVSQARLRDDTELKCAFISQASATMHLPATIGDYTDFYSSRQHATNVGIMFRDKENALMPNWLHLPVGYHGR ASSVVVSGTPIRRPMGQMKPDDSKPPVYGACKLLDMELEMAFFVGPNGRNLGEPISPISKAHEHIFGMVLMNDWSARDIQK WEYVPLGPFGLGKSFSGTTVSPWVVPMDALMPFAVNPQKQDPRPLPYLCHDEPYTFDINLSVNLKGEGMSQAATICKSNFKY MYWTMLQQLTHHSVNGCNLRPGDLLASGTISGPEPENFGSMLELSWKGTKPIDLGNQTRKFLLDGDEVIITGYCQGDG YRIGFGQCAGKVLPAALLPS

靶点信息

研究背景	This gene encodes the last enzyme in the tyrosine catabolism pathway. FAH deficiency is associated with Type 1 hereditary tyrosinemia (HT).
------	---

基因ID	2184
基因名	FAH
Swiss	P16930
别名	FAH

产品验证



Western blot analysis of FAH expressed in Mouse liver,Rat liver,Mouse kidney using FAH Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn