

— ABLYBIO, Help Your Research



ZIP8 Rabbit pAb

货号: **AYP12659**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB, IP: Homo sapiens, Mus musculus WB: Bos taurus
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	43kDa/48kDa/49kDa
实测分子量	50kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HL-60,NCI-H460,HeLa,Mouse liver
细胞定位	Membrane,Multi-pass membrane protein
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 180-300 of human ZIP8 (NP_071437.3).
------	--

靶点信息

研究背景	This gene encodes a member of the SLC39 family of solute-carrier genes, which show structural characteristics of zinc transporters. The encoded protein is glycosylated and found in the plasma membrane and mitochondria, and functions in the cellular import of zinc at the onset of inflammation. It is also thought to be the primary transporter of the toxic cation cadmium, which is found in cigarette smoke. Multiple transcript variants encoding different isoforms have been found for this gene. Additional alternatively spliced transcript variants of this gene have been described, but their full-length nature is not known.
基因ID	64116
基因名	SLC39A8
Swiss	Q9C0K1 (https://www.uniprot.org/uniprotkb/Q9C0K1/entry)
别名	SLC39A8,BIGM103,CDG2N,LZT-Hs6,PP3105,ZIP8,ZIP8 Rabbit pAb,BCG-induced integral membrane protein in monocyte clone 103 protein,LIV-1 subfamily of ZIP zinc transporter 6,Solute carrier family 39 member 8,Zrt- and Irt-like protein 8

产品验证



Western blot analysis of ZIP8 expressed in Mouse liver,HL-60,NCI-H460 using ZIP8 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)