

— ABLYBIO, Help Your Research



LAMP3 Rabbit pAb

货号: **AYP13032**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Homo sapiens
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:100
理论分子量	44kDa
实测分子量	75kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Raji,HT-29,A-549,HeLa
细胞定位	Cytoplasmic vesicle membrane,Lysosome membrane,Single-pass type I membrane protein
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 140-380 of human LAMP3 (NP_055213.2).
------	---

靶点信息

研究背景	Dendritic cells (DCs) are the most potent antigen-presenting cells. Immature DCs efficiently capture antigens and differentiate into interdigitating dendritic cells (IDCs) in lymphoid tissues that induce primary T-cell responses (summary by de Saint-Vis et al., 1998 [PubMed 9768752]).
基因ID	27074
基因名	LAMP3
Swiss	Q9UQV4 (https://www.uniprot.org/uniprotkb/Q9UQV4/entry)
别名	LAMP3,CD208,DC LAMP,DC-LAMP,DCLAMP,LAMP,LAMP-3,TSC403,LAMP3 Rabbit pAb,DC-lysosome-associated membrane glycoprotein,Protein TSC403

产品验证



Western blot analysis of LAMP3 expressed in Raji, HT-29, A-549 using LAMP3 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)