

— ABLYBIO, Help Your Research



MT-ND1 Rabbit pAb

货号: **AYP13090**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus, Homo sapiens
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	36kDa
实测分子量	36kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,HepG2,PC-3,Mouse heart,Rat liver
细胞定位	mitochondrial inner membrane,mitochondrial membrane,mitochondrial respiratory chain complex I
纯化	Affinity purification


抗原信息

抗原信息	A synthetic peptide corresponding to a sequence within amino acids 150-250 of human MT-ND1 (YP_003024026.1).
------	--

靶点信息

研究背景	Core subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I which catalyzes electron transfer from NADH through the respiratory chain, using ubiquinone as an electron acceptor. Essential for the catalytic activity and assembly of complex I.
基因ID	4535
基因名	MT-ND1
Swiss	P03886 (https://www.uniprot.org/uniprotkb/P03886/entry)
别名	MTND1,MT-ND1,MT-ND1 Rabbit pAb,NADH dehydrogenase subunit 1,NADH1,ND1

产品验证



Western blot analysis of MT-ND1 expressed in Mouse heart,Rat liver,HeLa using MT-ND1 Rabbit pAb at 1:1 000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blo cking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)