

# NUP160 Rabbit pAb

货号: **AYP13133**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	<b>WB:</b> Homo sapiens
应用	<a href="#">WB</a>
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	24kDa/55kDa/162kDa
实测分子量	150kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	A-431, Jurkat, HepG2
细胞定位	Nucleus, nuclear pore complex
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 40-150 of human NUP160 (NP_056046.1).
序列	ALERSFVELSGAERERPRHFREFTVCSIGTANAVAGAVKYSSESAGGFYYVESGKLFVTRNRFIHWKTSGDTLELMEESLDI NLLNNAIRLKFQNCVLPGGVYVSETQNR

## 靶点信息

研究背景	NUP160 is 1 of up to 60 proteins that make up the 120-MD nuclear pore complex, which mediates nucleoplasmic transport.[supplied by OMIM, Apr 2004]
基因ID	23279
基因名	NUP160

Swiss	Q12769
别名	NUP160

## 产品验证



Western blot analysis of NUP160 expressed in A-431, Jurkat, HepG2 using NUP160 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)