

# BRF2 Rabbit pAb

货号: **AYP13206**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	<b>WB:</b> Homo sapiens <b>IHC:</b> Homo sapiens
应用	<a href="#">WB</a> <a href="#">IHC</a>
推荐浓度	<b>WB:</b> 1:500 - 1:1000 <b>IHC:</b> 1:50 - 1:100
理论分子量	44kDa/46kDa
实测分子量	62KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	C6,Mouse testis,Rat lung
细胞定位	Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 180-419 of human BRF2 (NP_060780.2).
序列	FKLFQASPSVPAKYVEDKEKMLSRMQLVLANETWLVTRHPLPVITAATFLAWQSLQPADRLSCSLARFCKLANVDLPY PASSRLQELLAVLLRMAEQLAWLRLRLDKRSVVKHIGDLLQHRQSLVRSAFRDGTAEVETREKEPPGWGQGQGEVGV NNSLGLPQGKRPASPALLLPPCMLKSPKRICVPPVSTVTGDENISDSEIEQYLRTPQEVDFQRAQAARQAATSVPNPP

## 靶点信息

研究背景	This gene encodes one of the multiple subunits of the RNA polymerase III transcription factor complex required for transcription of genes with promoter elements upstream of the initiation site. The product of this gene, a TFIIIB-like factor, is directly recruited to the TATA-box of polymerase III small nuclear RNA gene promoters through its interaction with the TATA-binding protein.
------	---

基因ID	55290
基因名	BRF2
Swiss	Q9HAW0
别名	BRF2;BRFU;TFIIIB50

## 产品验证



Western blot analysis of BRF2 expressed in C6, Mouse testis, Rat lung using BRF2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)