

— ABLYBIO, Help Your Research



EPHA4 Rabbit pAb

货号: **AYP13247**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus IP: Mus musculus
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	104kDa/109kDa
实测分子量	110kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain,Mouse lung,Rat brain
细胞定位	Cell junction,Cell membrane,Cell projection,Early endosome,Single-pass type I membrane protein,axon,d endrite,postsynaptic cell membrane,postsynaptic density,synapse
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 20-100 of human EPHA4 (NP_004429.1).
------	--

靶点信息

研究背景	This gene belongs to the ephrin receptor subfamily of the protein-tyrosine kinase family. EPH and EPH-related receptors have been implicated in mediating developmental events, particularly in the nervous system. Receptors in the EPH subfamily typically have a single kinase domain and an extracellular region containing a Cys-rich domain and 2 fibronectin type III repeats. The ephrin receptors are divided into 2 groups based on the similarity of their extracellular domain sequences and their affinities for binding ephrin-A and ephrin-B ligands. Multiple transcript variants encoding different isoforms have been found for this gene.
基因ID	2043
基因名	EPHA4
Swiss	P54764 (https://www.uniprot.org/uniprotkb/P54764/entry)
别名	EPHA4, HEK8, SEK, TYRO1, EPHA4 Rabbit pAb, EPH-like kinase 8, Tyrosine-protein kinase TYRO1, Tyrosine-protein kinase receptor SEK

产品验证



Western blot analysis of EPHA4 expressed in Mouse brain, Mouse lung, Rat brain using EPHA4 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)