

# AARS2 Rabbit pAb

货号: **AYP13286**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	<b>WB:</b> Homo sapiens <b>IF:</b> Homo sapiens
应用	<a href="#">WB</a>
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	107kDa
实测分子量	107kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	HepG2, SKOV3, U-251MG, MCF7
细胞定位	Mitochondrion
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 841-985 of human AARS 2 (NP_065796.1).
序列	RRELLATVKMLQRRANTAIRKLQMGQAAKKTQELLERHSHKGPLIVDTVSAESLSVLVKVVRQLCEQAPSTSVLLLSPQPMGKVLCAQVAQAGAMPTFTAEEAWALAVCSHMGGKAWGSRVVAQGTGSTTDLEAALSIAQTYALSQ

## 靶点信息

研究背景	The protein encoded by this gene belongs to the class-II aminoacyl-tRNA synthetase family. Aminoacyl-tRNA synthetases play critical roles in mRNA translation by charging tRNAs with their cognate amino acids. The encoded protein is a mitochondrial enzyme that specifically aminoacylates alanyl-tRNA. Mutations in this gene are a cause of combined oxidative phosphorylation deficiency 8.
基因ID	57505

基因名	AARS2
Swiss	Q5JTZ9
别名	AARS2;AARSL;COXPD8;LKENP;MT-ALARS;MTALARS

## 产品验证



Western blot analysis of AARS2 expressed in HepG2,SKOV3,U-251MG using AARS2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)