

BANP Rabbit pAb

货号: **AYP13303**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Homo sapiens
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	48kDa/50kDa/51kDa/53kDa/54kDa/55kDa/56kDa
实测分子量	50kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,Mouse brain
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-260 of human BANP (NP_060339.2).
序列	MMSEHDLADVQIAVEDLSPDHPVLENHVVTDEDEPALKRQRLEINCQDPSIKSFLYSINQTICLRLDSIEAKLQALEATCK SLEEKLDLVTNKQHSPIQVPMVAGSPLGATQTCNKVRCVPGRRQNTIVVKVPGQEDSHHEDGESGSEASDSVSSCGQA GSQSIGSNVTLITLNSEEDYPNGTWLGDENNPENRVRCAIIPSDMLHISTNCRTAEKMALTLDDYLFHREVQAVSNLSGQG KHGKKQLDPLTIYGIRC

靶点信息

研究背景	This gene encodes a protein that binds to matrix attachment regions. The protein forms a complex with p53 and negatively regulates p53 transcription, and functions as a tumor suppressor and cell cycle regulator. Multiple transcript variants encoding different isoforms have been found for this gene.
基因ID	54971

基因名	BANP
Swiss	Q8N9N5
别名	BANP;BEND1;SMAR1;SMARBP1

产品验证



Western blot analysis of BANP expressed in HeLa, Mouse brain using BANP Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5 % non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn