

POU6F1 Rabbit pAb

货号: **AYP13335**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Homo sapiens
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:100
理论分子量	32kDa
实测分子量	45kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SW620,22Rv1,HepG2,Raji,Mouse kidney,Mouse liver,Rat kidney
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-301 of human POU6F1 (NP_002693.3).
序列	MPGISSQILTNAQGQVIGTLPWVNSASVAAPAPAQSLQVQAVTPQLLLNAQGQVIATLASSPLPPPVAVRKPSTPESPAK SEVQPIQPTPTVPQPAVVIASPAPAAKPSASAPIPITCSETPTVSQLVSKPHTPSLDEDGINLEEIREFAKNFKIRRLSLGLTQT QVGQALTATEGPAYSAICRFEKLDITPKSAQKLPVLEKWLNEAELRNQEGQQNLMEFVGGEPSSKKRKRRTSFTPQAI ALNAYFEKNPLPTGQEITEIAKELNYDREVVVRVWFCNRRQTLKNTSKLNVFQIP

靶点信息

研究背景	Transcription factor that binds preferentially to a variant of the octamer motif (5'-ATGATAAT-3').
基因ID	5463

基因名	POU6F1
Swiss	Q14863
别名	POU6F1;BRN5;MPOU;TCFB1

产品验证



Western blot analysis of POU6F1 expressed in Mouse kidney,Rat kidney,SW620 using POU6F1 Rabbit p Ab at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120 S.

实验步骤

访问官网浏览详情: www.ablybio.cn