

— ABLYBIO, Help Your Research



# FAIM3 Rabbit pAb

货号: **AYP13451**

## 产品信息

|       |  |
|-------|--|
| 反应    | Human,Mouse,Rat  |
| 宿主    | Rabbit   |
| 克隆性   | Polyclonal   |
| 预测反应  | <b>WB:</b> Rattus norvegicus   |
| 应用    | WB IF/ICC  |
| 推荐浓度  | <b>WB:</b> 1:500 - 1:2000<br><b>IF/ICC:</b> 1:50 - 1:100   |
| 理论分子量 | 31kDa/33kDa/43kDa  |
| 实测分子量 | 40kDa  |
| 形式    | Liquid   |
| 保存条件  | Store at -20°C. Avoid freeze / thaw cycles.<br>Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3. |
| 偶联物   | Unconjugated   |
| 阳性对照  | Jurkat,U-251MG,SW480   |
| 细胞定位  | Membrane,Secreted,Single-pass membrane protein   |
| 纯化    | Affinity purification  |


## 抗原信息

|      |  |
|------|--|
| 抗原信息 | Recombinant fusion protein containing a sequence corresponding to amino acids 18-251 of human FAIM3 (NP_005440.1). |
|------|--|

## 靶点信息

|       |   |
|-------|---|
| 研究背景  | Fc receptors specifically bind to the Fc region of immunoglobulins (Igs) to mediate the unique functions of each Ig class. FAIM3 encodes an Fc receptor for IgM (see MIM 147020) (Kubagawa et al., 2009 [PubMed 19858324]; Shima et al., 2010 [PubMed 20042454]).[supplied by OMIM, Jul 2010] |
| 基因ID  | 9214  |
| 基因名   | FCMR  |
| Swiss | O60667 ( <a href="https://www.uniprot.org/uniprotkb/O60667/entry">https://www.uniprot.org/uniprotkb/O60667/entry</a> )  |
| 别名    | FCMR,FAIM3,TOSO,FAIM3 Rabbit pAb,Fas apoptotic inhibitory molecule 3,Regulator of Fas-induced apoptosis Toso  |

## 产品验证



Western blot analysis of FAIM3 expressed in Jurkat,U-251MG,SW480 using FAIM3 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)