

— ABLYBIO, Help Your Research



# EED Rabbit pAb

货号: **AYP13553**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	<b>WB:</b> Homo sapiens
应用	WB IP IF/ICC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IP:</b> 1:500 - 1:1000 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	45kDa/50kDa/53kDa
实测分子量	50-70KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,U-87MG,293T,HepG2,A-549,SKOV3,Mouse brain
细胞定位	Chromosome,Nucleus
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-400 of human EED (N P_694536.1).
------	--

## 靶点信息

研究背景	This gene encodes a member of the Polycomb-group (PcG) family. PcG family members form multimeric protein complexes, which are involved in maintaining the transcriptional repressive state of genes over successive cell generations. This protein interacts with enhancer of zeste 2, the cytoplasmic tail of integrin beta7, immunodeficiency virus type 1 (HIV-1) MA protein, and histone deacetylase proteins. This protein mediates repression of gene activity through histone deacetylation, and may act as a specific regulator of integrin function. Two transcript variants encoding distinct isoforms have been identified for this gene.
基因ID	8726
基因名	EED
Swiss	O75530 ( <a href="https://www.uniprot.org/uniprotkb/O75530/entry">https://www.uniprot.org/uniprotkb/O75530/entry</a> )
别名	EED,HEED,WAIT1,EED Rabbit pAb,Embryonic ectoderm development protein,WD protein associating with integrin cytoplasmic tails 1

## 产品验证



Western blot analysis of EED expressed in Mouse brain, HeLa, U-87MG using EED Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/>[www.ablybio.cn](http://www.ablybio.cn))