

— ABLYBIO, Help Your Research



# OSBP Rabbit pAb

货号: **AYP13603**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	<b>WB:</b> Homo sapiens
应用	WB IF/ICC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	89kDa
实测分子量	110kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,HeLa,BT-474,NIH/3T3,Mouse brain,Mouse kidney,Mouse liver,Rat brain
细胞定位	Cytoplasm,Endoplasmic reticulum membrane,Golgi apparatus membrane,Peripheral membrane protein,cytosol,perinuclear region
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 508-807 of human OSBP (NP_002547.1).
------	--

## 靶点信息

研究背景	Oxysterol binding protein is an intracellular protein that is believed to transport sterols from lysosomes to the nucleus where the sterol down-regulates the genes for the LDL receptor, HMG-CoA reductase, and HMG synthetase
基因ID	5007
基因名	OSBP
Swiss	P22059 ( <a href="https://www.uniprot.org/uniprotkb/P22059/entry">https://www.uniprot.org/uniprotkb/P22059/entry</a> )
别名	OSBP,OSBP1,OSBP Rabbit pAb

## 产品验证



Western blot analysis of OSBP expressed in Mouse brain,Rat brain,293T using OSBP Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/>[www.ablybio.cn](http://www.ablybio.cn))