

— ABLYBIO, Help Your Research



# SLC22A6 Rabbit pAb

货号: **AYP13633**

## 产品信息

|       |  |
|-------|--|
| 反应    | Human,Mouse  |
| 宿主    | Rabbit   |
| 克隆性   | Polyclonal   |
| 预测反应  | <b>WB:</b> Mus musculus  |
| 应用    | WB   |
| 推荐浓度  | <b>WB:</b> 1:500 - 1:2000  |
| 理论分子量 | 55kDa/57kDa/60kDa/61kDa  |
| 实测分子量 | 60kDa  |
| 形式    | Liquid   |
| 保存条件  | Store at -20°C. Avoid freeze / thaw cycles.<br>Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3. |
| 偶联物   | Unconjugated   |
| 阳性对照  | K-562,Mouse kidney   |
| 细胞定位  | Cell membrane,Multi-pass membrane protein  |
| 纯化    | Affinity purification  |


## 抗原信息

|      |   |
|------|---|
| 抗原信息 | A synthetic peptide corresponding to a sequence within amino acids 500-600 of human SLC22A6 (Q4U2R8). |
|------|---|

## 靶点信息

|       |   |
|-------|---|
| 研究背景  | The protein encoded by this gene is involved in the sodium-dependent transport and excretion of organic anions, some of which are potentially toxic. The encoded protein is an integral membrane protein and may be localized to the basolateral membrane. Four transcript variants encoding four different isoforms have been found for this gene. |
| 基因ID  | 9356  |
| 基因名   | SLC22A6   |
| Swiss | Q4U2R8 ( <a href="https://www.uniprot.org/uniprotkb/Q4U2R8/entry">https://www.uniprot.org/uniprotkb/Q4U2R8/entry</a> )  |
| 别名    | SLC22A6,HOAT1,OAT1,PAHT,ROAT1,SLC22A6 Rabbit pAb,Organic anion transporter 1,PAH transporter,Renal organic anion transporter 1  |

## 产品验证



Western blot analysis of SLC22A6 expressed in K-562, Mouse kidney using SLC22A6 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/>[www.ablybio.cn](http://www.ablybio.cn))