

# NROB1 Rabbit pAb

货号: **AYP13793**

## 产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	<b>CHIP-seq:</b> Arabidopsis thaliana
应用	<a href="#">WB</a> <a href="#">IF/ICC</a>
推荐浓度	<b>WB:</b> 1:500 - 1:1000 <b>IF/ICC:</b> 1:10 - 1:100
理论分子量	43kDa/51kDa
实测分子量	48KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,NCI-H460,MCF7
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-260 of human NROB1 (NP_000466.2).
序列	MAGENHQWQGSILYNMLMSAKQTRAAPEAPETRLVDQCWGCSCGDEPGVGVREGLLGGRNVALLYRCCFCGKDHPRQG SILYSMLTSAKQTYAAPKAPEATLGPCWGCSCGSDPGVGRAGLPGGRPVALLYRCCFCGEDHPRQGSILYSLLTSSKQTH VAPAAPEARPGGAWWDRSYFAQRPGGKEALPGGRATALLYRCCFCGEDHPQQGSTLYCVPTSTNQAQAAPEERPRAPW WDTSSGALRPVALKSPQVVCEAASA

## 靶点信息

研究背景	This gene encodes a protein that contains a DNA-binding domain. The encoded protein acts as a dominant t-negative regulator of transcription which is mediated by the retinoic acid receptor. This protein also functions as an anti-testis gene by acting antagonistically to Sry. Mutations in this gene result in both X-linked congenital adrenal hypoplasia and hypogonadotropic hypogonadism.
------	---

基因ID	190
基因名	NROB1
Swiss	P51843
别名	NROB1;AHC;AHCH;AHX;DAX-1;DAX1;DSS;GTD;HHG;NROB1;SRXY2

## 产品验证



Western blot analysis of NROB1 expressed in U-87MG, NCI-H460, MCF7 using NROB1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)