

ZNF423 Rabbit pAb

货号: AYP13855

产品信息

| | |
|-------|--|
| 反应 | Human,Mouse,Rat |
| 宿主 | Rabbit |
| 克隆性 | Polyclonal |
| 预测反应 | WB: Rattus norvegicus |
| 应用 | WB |
| 推荐浓度 | WB: 1:500 - 1:2000 |
| 理论分子量 | 137kDa/144kDa |
| 实测分子量 | 160kDa |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | Mouse eye,Rat eye |
| 细胞定位 | Nucleus |
| 纯化 | Affinity purification |

抗原信息


| | |
|------|--|
| 抗原信息 | Recombinant fusion protein containing a sequence corresponding to amino acids 220-450 of human ZNF423 (NP_055884.2). |
| 序列 | KPFKCTVCKRGFSSTSSLQSHMQAHKKNKEHLAKSEKEAKKDDFMCDYCEDTFSQTEELEKHVLRHPQLSEKADLQCIHCPEVFDENTLLAHIHQAHANQKHKCPMCPEQFSSVEGVYCHLDSHRQPDSNHSVSPDPVLGVSASMSSATPDSSASVERGSTPDSTLKPLRGQKKMRDDGQGWTKVVYSCPYCSKRDFNSLAVLEIHLKTIHADKPKQSQSHTCQICLDSM |

靶点信息

| | |
|------|---|
| 研究背景 | The protein encoded by this gene is a nuclear protein that belongs to the family of Kruppel-like C2H2 zinc finger proteins. It functions as a DNA-binding transcription factor by using distinct zinc fingers in different signaling pathways. Thus, it is thought that this gene may have multiple roles in signal transduction during development. Mutations in this gene are associated with nephronophthisis-14 and Joubert syndrome-19. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. |
|------|---|

| | |
|-------|--|
| 基因ID | 23090 |
| 基因名 | ZNF423 |
| Swiss | Q2M1K9 |
| 别名 | ZNF423;Ebfaz;JBTS19;NPHP14;OAZ;Roaz;ZFP423;Zfp104;hOAZ |

产品验证



Western blot analysis of ZNF423 expressed in Mouse eye,Rat eye using ZNF423 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn