

CASP8AP2 Rabbit pAb

货号: **AYP13857**

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	222kDa
实测分子量	215kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG, K-562
细胞定位	Cytoplasm, Mitochondrion, Nucleus, PML body
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1733-1982 of human CASP8AP2 (NP_036247.1).
序列	TVGAFIDLTQDASSEAKSEGNHPALAVEDLGCGVIQVDEDNCKEEKAQVANRPLKCIVEETYIDLTTESSSCEVKKDELKSEPGSNCNSELPGTLHNSHKRRNISDLNHPHKKQRKEDLTNKEKTKKPTQDSCENTEAHQKKASKKKAPPVTKDPSSLKATPGIKDSSAALATSTLSAKNVIKKKGEIILLWTRNDDREILLECQKRGPSFKTFAYLAAKLDKNPNQVSERFQQLMKLFEKSKCR

靶点信息

研究背景	This protein is highly similar to FLASH, a mouse apoptotic protein identified by its interaction with the death-effector domain (DED) of caspase 8. Studies of FLASH protein suggested that this protein may be a component of the death-inducing signaling complex that includes Fas receptor, Fas-binding adapter FADD, and caspase 8, and plays a regulatory role in Fas-mediated apoptosis. Alternative splicing results in multiple transcript variants encoding the same protein.
------	---

基因ID	9994
基因名	CASP8AP2
Swiss	Q9UKL3
别名	CASP8AP2;CED-4;FLASH;RIP25

产品验证



Western blot analysis of CASP8AP2 expressed in U-87MG, K-562 using CASP8AP2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn