

DHX8 Rabbit pAb

货号: **AYP13945**

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	IP: Homo sapiens
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	139kDa
实测分子量	139kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	HeLa, LO2, 293T
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1001-1220 of human D HX8 (NP_004932.1).
序列	CSEEMLTIVSMLSVQNVFYRPKDKQALADQKKAKFHQTEGDHLTLLAVYNSWKNNKFSNPWCYENFIQARSLRRAQDIRK QMLGIMDRHKLDVVSCGKSTVRVQKAICSGFFRNAAKKDPQEGYRTLIDQQVVYIHPSSALFNRPQEWVVYHELVLTTKE YMREVTIDPRWLVEFAPAFFKVSDPTKLSKQKKQRLEPLYNRYEEPNAWRISRAFRRR

靶点信息

研究背景	This gene is a member of the DEAH box polypeptide family. The encoded protein contains the DEAH (Asp-Glu-Ala-His) motif which is characteristic of all DEAH box proteins, and is thought to function as an ATP-dependent RNA helicase that regulates the release of spliced mRNAs from spliceosomes prior to their export from the nucleus. This protein may be required for the replication of human immunodeficiency virus type 1 (HIV-1). Alternative splicing results in multiple transcript variants.
------	--

基因ID	1659
基因名	DHX8
Swiss	Q14562
别名	DHX8;DDX8;HRH1;PRP22;PRPF22;Dhr2

产品验证



Western blot analysis of DHX8 expressed in HeLa, LO2, 293T using DHX8 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn