

CHMP7 Rabbit pAb

货号: **AYP13973**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Homo sapiens
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	18kDa/50kDa
实测分子量	60kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,Jurkat,Mouse testis,Mouse brain,Rat brain
细胞定位	Cytoplasm
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 230-453 of human CHMP7 (NP_689485.1).
序列	KVSPVNDVDVGVYQLMQSEQLLSRKVESLSQEAEKCKEEARRACRAGKKQLALRSLKAKQRTEKRIEALHAKLDTVQGIL DRIYASQTDQMVFNAYQAGVGALKLSMKDVTVEKAESLVDQIQELCDTQDEVSQTLAGGVNGLDFDSEELEKELDILLQ DTTKEPLDLPDNPNNRHFTNSVNPNRISDAELEAELEKLSLSEGGGLVPSSKSPKRQLEPTLKPL

靶点信息

研究背景	ESCRT-III-like protein required to recruit the ESCRT-III complex to the nuclear envelope during late anaphase. Together with SPAST, the ESCRT-III complex promotes nuclear envelope sealing and mitotic spindle disassembly during late anaphase. Plays a role in the endosomal sorting pathway.
基因ID	91782

基因名	CHMP7
Swiss	Q8WUX9
别名	CHMP7

产品验证



Western blot analysis of CHMP7 expressed in Mouse testis, Rat brain, HeLa using CHMP7 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn