

FOXK2 Rabbit pAb

货号: **AYP13979**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus
应用	WB
推荐浓度	WB: 1:500 - 1:1000
理论分子量	34kDa/64kDa/69kDa
实测分子量	80KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Jurkat,Mouse brain
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 360-430 of human FOXK 2 (NP_004505.2).
序列	TPLGPLSSRSAPSPNHAGVLSAHSSGAQTPELSREGSPAPLEPEPGAAQPKLAVIQEARFAQSAPGSPL

靶点信息

研究背景	The protein encoded by this gene contains a fork head DNA binding domain. This protein can bind to the purine-rich motifs of the HIV long terminal repeat (LTR), and to the similar purine-rich motif in the interleukin 2 (IL2) promoter. It may be involved in the regulation of viral and cellular promoter elements.
基因ID	3607
基因名	FOXK2

Swiss	Q01167
别名	FOXK2;ILF;ILF-1;ILF1

产品验证



Western blot analysis of FOXK2 expressed in Jurkat, Mouse brain using FOXK2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn