

GNL2 Rabbit pAb

货号: **AYP14054**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Homo sapiens
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	83kDa
实测分子量	84kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	NIH/3T3
细胞定位	Nucleus,nucleolus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-300 of human GNL2 (NP_037417.1).
序列	MVKPKYKGRSTINPSKASTNPDRVQAGGQNMRRDRATIRRLNMYRQKERRNSRGKIIKPLQYQSTVASGTVARVEPNIKWFGNTRVIKQSSLQKFQEEMDTVMKDPYKVVMMKQSKLPMSELLHDIRPHNLKVHILDTESFETTFGPKSQKRPNLFASDMQSLIENAEMSTESYDQGKDRDLVTEDTGVRNEAQEEIYKKGQSKRIWGEYKVIDSSDVVVQVLDARDPMGTRSPHIETYLKKEKPKWKHLIFVLNKCDLVPTWATKRWVAVLSQDYPTLAFHASLTNPFKGFQIQLLRQ

靶点信息

研究背景	GTPase that associates with pre-60S ribosomal subunits in the nucleolus and is required for their nuclear export and maturation (By similarity). May promote cell proliferation possibly by increasing p53/TP53 protein levels, and consequently those of its downstream product CDKN1A/p21, and decreasing RPL23A protein levels.
------	--

基因ID	29889
基因名	GNL2
Swiss	Q13823
别名	GNL2;HUMAUANTIG;NGP1;Ngp-1;Nog2;Nug2

产品验证



Western blot analysis of GNL2 expressed in NIH/3T3 using GNL2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn