

— ABLYBIO, Help Your Research



VAPA Rabbit pAb

货号: **AYP14075**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:100
理论分子量	27kDa/32kDa
实测分子量	28kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	B-cell,Mouse heart,Mouse pancreas
细胞定位	Endoplasmic reticulum membrane,Single-pass type IV membrane protein
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 137-227 of human VAPA (NP_919415.2).
------	--

靶点信息

研究背景	The protein encoded by this gene is a type IV membrane protein. It is present in the plasma membrane and intracellular vesicles. It may also be associated with the cytoskeleton. This protein may function in vesicle trafficking, membrane fusion, protein complex assembly and cell motility. Alternative splicing occurs at this locus and two transcript variants encoding distinct isoforms have been identified.
基因ID	9218
基因名	VAPA
Swiss	Q9P0L0 (https://www.uniprot.org/uniprotkb/Q9P0L0/entry)
别名	VAPA,VAP-33,VAP-A,VAP33,hVAP-33,VAPA Rabbit pAb,33 kDa VAMP-associated protein

产品验证



Western blot analysis of VAPA expressed in B-cell, Mouse heart, Mouse pancreas using VAPA Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)