

— ABLYBIO, Help Your Research



CDC20 Rabbit pAb

货号: **AYP14121**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Homo sapiens
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	54kDa
实测分子量	55kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-251MG,DU145,SW480,THP-1
细胞定位	Cytoplasm,centrosome,cytoskeleton,microtubule organizing center,spindle pole
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-270 of human CDC20 (NP_001246.2).
------	-------------------------------------------------------------------------------------------------------------------

靶点信息

研究背景	CDC20 appears to act as a regulatory protein interacting with several other proteins at multiple points in the cell cycle. It is required for two microtubule-dependent processes, nuclear movement prior to anaphase and chromosome separation.
基因ID	991
基因名	CDC20
Swiss	Q12834 (https://www.uniprot.org/uniprotkb/Q12834/entry)
别名	CDC20,CDC20A,bA276H19.3,p55CDC,CDC20 Rabbit pAb

产品验证



Western blot analysis of CDC20 expressed in U-251MG,DU145,SW480 using CDC20 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)